

HOBART CHINA




高达食品设备有限公司
 中国天津西青经济开发区业盛道8号
 电话: 022-23974912, 13, 14, 15
 传真: 022-23974917
 HOBART FOOD EQUIPMENT CO.,LTD
 NO. 8 YESHENG ROAD,XIQING ECONOMIC&DEVELOPMENT ZONE, TIANJIN CHINA
 TEL: 022-23974912, 13, 14, 15
 FAX: 022-23974917

MODEL :

E60-3853-1

机器型号 MODEL	电压 VOLTAGE	功率 POWER	保险 FUSE	电缆 CROSS SECTION
主开关由用户准备 MAIN SWITCH BY CUSTOMER		*保险由用户准备 *FUSES BY CUSTOMER		
供电回路 POWER CIRCUIT	380V/50Hz/3/N/PE			
控制回路 PILOT CIRCUIT	220V/50Hz/1/N			

C	赵磊	2014-04-17	14023
B	赵磊	2013-12-11	13066
A	赵磊	2013-09-02	-
版本 REV	名字 NAME	日期 DATE	ECN.NO
此文件包含HOBART公司的专利和机密数据，或者辅助文件。不能对其进行公开，复制，未经HOBART公司允许不能使用其中任何一部分。			
THIS DOCUMENT CONTAINS PROPRIETARY AND CONFIDENTIAL DATA OF HOBART CORPORATION OR ITS SUBSIDIARIES. NO DISCLOSURE REPRODUCTION OR USE OF ANY PART THERE OF MAY BE MADE WITHOUT WRITTEN PERMISSION OF HOBART.			
型号 TYPE	E60-3853-1		
电压 VOLTAGE	380V/50Hz/3/N/PE		
审核 APPROVAL.BY	日期 DATE	注释 NOTE	
绘图 DRAWN.BY	日期 DATE	页 SHEET 1 共 OF 5	
		7160750-001	



380/50/3/N/PE

电源
POWER SUPPLY

升温箱电热管
BOOSTER HEATING

水箱电热管
TANK HEATING



型号: E60

电压: 380V/50Hz/3/N/PE

审核:

日期:

页数: 2



绘制:

日期:


页数: 5

物料号: 7160750-001

版本: C



型号: E60	审核:	日期:	页数: 3
电压: 380V/50Hz/3/N/PE	绘制:	日期:	页数: 5
	物料号: 7160750-001	版本: C	



电路和接地连接必须符合国家电力法规中适用的条款和其它当地电力法规。
 在本机器的供电线路中必须为本机器安装独立的带漏电保护器的全极断开装置。
ELECTRICAL AND GROUNDING CONNECTIONS MUST COMPLY WITH THE APPLICABLE PORTIONS OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER LOCAL ELECTRICAL CODES.
A FUSED DISCONNECTS OR CIRCUIT BREAKER WITH ELECTRICAL LEAKING PROTECTOR (NOT SUPPLIED) MUST BE INSTALLED IN THE ELECTRICAL LINE SUPPLYING THE DISHWASHER AND SHOULD MEET THE REQUIREMENTS OF LOCAL ELECTRICAL CODE.

HOBART	型号: E60	审核:	日期:	页数: 4
	电压: 380V/50Hz/3/N/PE	绘制:	日期:	页数: 5
			物料号: 7160750-001	版本: C

0	1	2	3	4	5	6	7	8	9
序号 POS.	数量 QUANT.	参考 REFERENCE	技术数据 TECHNICAL DATA		零件名称 PART UNIT				
1	1A1	7159336-11				控制板 CONTRO UNIT			
2	1A2	7159336-12				操作面板 OPERATION PANEL (BAE)			
3	1B1	00-775612-001				温度传感器 TEMPERATURE PROBE			
4	1B2	00-775612-001				温度传感器 TEMPERATURE PROBE			
5	1B3	7160693-001	BOOSTER-45/30-110/90			压力变送器 PRESSURE TRANSMITTER			
6	1B4	7160693-002	TANK-45/30-65/48			压力变送器 PRESSURE TRANSMITTER			
7	E1	7160717-001	380V/12000W			升温箱电热管 HEATING ELEMENT BOOSTER			
8	E2	7160692-001	220V/2000W			水箱电热管 HEATING ELEMENT TANK			
9	1K1	743402				接触器 CONTACTOR			
10	2K1	743402				接触器 CONTACTOR			
11	1K2	743402				接触器 CONTACTOR			
12	M1	02-883617-001	220V-50Hz-605W-4.0A			清洗泵 WASHPUMP			
13	M2	7160724-001	220V-50Hz-150W-0.7A			喷淋泵 RINSEPUMP			
14	1S9	743429				开关 SWITCH			
15	1S2	02-229517-002				开关 SWITCH			
16	X50	7160751-001	380V/3P			端子排 Terminal			
17	1SST	926189	95°C			极限温控 TEMP. SAFETY			
18	1Y3	7160727-001				电磁阀 SOLENOID VALVE			
19	W 1.0	7160754-001				电源线 CONNECTION CABLE			
20	1K3	7160583-001				继电器 RELAY			
21	5K3	7160583-001				继电器 RELAY			
22	1K4	7160583-001				继电器 RELAY			
23	1K10	7160583-001				继电器 RELAY			
24	1K9	7160583-001				继电器 RELAY			
25	1K5	7160583-001				继电器 RELAY			
26	1K6	7160583-001				继电器 RELAY			
27	1K7	7160583-001				继电器 RELAY			
28									
29									
30									
31									
32									



型号: E60

电压: 380V/50Hz/3/N/PE

审核: _____ 日期: _____ 页数: 5

绘制: _____ 日期: _____ 页数: 5

物料号: 7160750-001 版本: C